

A330D



Ideal for video-telephony



Remote control



Long wearing comfort



USB sound card



HD audio



Busylight



Snom Connect Desktop

Snom's binaural USB headset

The A330D delivers excellent HD audio quality across the entire human auditory frequency spectrum thanks to modern D/A converter technology and an optimised speaker. The soft on-ear cushions with 3 adjustable axes, are very comfortable to wear - even over several hours. Most background noises in the environment are suppressed. The entire voice band is recorded using a high-quality microphone, digitized and then transmitted

via USB to a computer or IP desk phone, allowing the A330D to function as a headset with almost any communication software platform. The integrated remote control can be used for call functions, mute and availability and display status via LEDs on the right earpiece and microphone boom.

Basics and equipment

- Product information
 - [Binaural headset A330D](#) | black | PN 00004598 | EAN 4260059583831 | UPC 811819013835
- Equipment
 - Ear cushions: 3 axis adjustment, soft leatherette, memory foam filling, designed for full day usage, replaceable
 - Headband: padded for long-term comfort, 35 mm adjustable length
 - 270° bendable, pivotable boom

Dimensions and weight

- Dimensions (L × W × H, approx.)
 - Packaging: 200 mm × 200 mm × 80 mm
- Cable length (approx.)
 - 2.4 m total, 1.4 m from headset to remote control, 0.95 m from remote control to USB connector
- Weight (approx.)
 - Headset: 220 g
 - Remote control: 66 g
 - Packaging: 540 g

Indicators and keys

- Headset: 2 LED indicators
 - Call status indication: 1 dual-colour LED (red / green) on the earpiece
 - Mute status indication: 1 red LED on the microphone boom
- Remote control: 3 LED indicators | 5 hard keys in total
 - Talk (with green LED)
 - Busylight (with red LED)
 - Mute (with red LED)
 - Volume +
 - Volume -

Audio features

- 2 × Headset speaker
 - ETSI wideband
 - Fullband audio
 - Diameter: 40 mm
 - Frequency range: 20 Hz - 20.0 kHz
- Microphone
 - Passive noise cancelling
 - Frequency range: 100 Hz - 10.0 kHz
 - Sensitivity: -55 dB

Interfaces and connections

- Power options
 - USB powering: 5 V
- Wired interfaces
 - Headset ↔ Remote control: cable with 3.5 mm miniature audio plug
 - Remote control ↔ Headset: 3.5 mm miniature audio jack
 - Remote control ↔ PC: attached USB 2.0 cable with type A plug

User interfaces and setup

- PC (≥ Windows 10) / Mac (≥ macOS 10.14):
[SnomConnect App](#)

Interoperability

- Communication software platforms (PC/Mac): Microsoft Teams, Google Meet, Zoom, Slack, Skype, 3CX

Package contents

- Hardware
 - Headset
 - Remote control | USB sound card
 - Carry pouch
- Documentation
 - [Quick Installation Guide](#)

Compatible Snom devices

- IP desk phone D335 (PN 00004390)
- IP desk phone D385 (PN 00004340), D385N (PN 00004599)
- IP desk phone D717 (PN 00004397, PN 00004398)
- IP desk phone D735 (PN 00004389, PN 00004396)
- IP desk phone D785 / D785N (PN 00004349, PN 00004392 / PN 00004599)¹
- IP desk phone D810W (PN 00004737, PN 00004792)
- IP desk phone D812 (PN 00004690)



- IP desk phone D815W (PN 00004691)
- IP desk phone D815WB (PN 00004727, PN 00004793)
- IP desk phone D862 (PN 00004535)
- IP desk phone D865 (PN 00004536, PN 00004546)
- IP desk phone D892M (PN 00004539)
- Wireless conference speakerphone C300 (PN 00004584)



Snom spare parts

- Replacement ear cushions A310/A330 Cushion (PN 00004700)²



¹ EoS (End of sale)

² Unit price 4.20 €

Series overview



A100M



A170C



A190



A310M



A310D



A330M



A330D



A350M



A350D

Disclaimer

[Further information: A330D webpage](#) | [Snom Service Hub A330D](#) | [Quick Installation Guide A330D](#) | [Type approval](#) | [Warranty information](#) | [Company locations](#)

Snom, the names of Snom products, and Snom logos are trademarks owned by Snom Technology GmbH. All product specifications are subject to change without notification. Snom Technology GmbH reserves the right to revise and change this document at any time, without being obliged to announce such revisions or changes beforehand or after the fact. Although due care has been taken in the compilation and presentation of the information in this document, the data upon which it is based may have changed in the meantime. Snom therefore disclaims all warranties and liability for the accurateness, completeness, and currentness of the information published, except in the case of intention or gross negligence on the part of Snom or where liability arises due to binding legal provisions.