

C52-SP



Directory



Long standby time

C520-WiMi Wireless expansion module solution for conference calls

The C520-WiMi together with the Snom C52SP is the perfect solution for those who frequently make conference calls in large conference rooms with numerous participants.

Up to three C52-SP can act as hands-free units thanks to the two integrated microphones and the powerful speaker.

With its DECT wireless connectivity and battery power supply the Snom C52-SP can be positioned at a distance of up to 50 metres away.

With fully automatic voice synchronisation, the microphones allow every participant to clearly understand.

The C52-SP handsfree device also has an extremely powerful battery that allows for up to 12 hours talks time.

To operate, the C52-SP needs a C520-WiMi and is not compatible with other DECT based devices.

Product variants



C52-SP | Wireless conference speakerphone | PN 00004357

Technical specifications

Basics

- black
- Product information
 - C52-SP | Wireless conference speakerphone | PN 00004357
- 7.2 V / 2.100 mAh (Ni-MH)
- up to 70 h standby time
- up to 12 h talk time
- Wired interfaces
 - coaxial power connector (socket)
- Wireless interfaces
 - DECT

Dimensions and weight

- Dimensions (L x W x H, approx.)
 - 305 mm x 305 mm x 61 mm
- Weight (approx.)
 - 1,100 g

LED indicators

- multicolour LEDs
- 1 red LED for charging indication

Function keys

- Mute
- Volume + / - (rocker)
- dedicated function keys
- Onhook / offhook
- Bluetooth pairing

Audio features

- Casing speaker
 - ETSI wideband
 - Fullband audio
- 2 microphones
- Speakerphone mode
 - Full duplex

Interfaces and connections

- C52-SP power options
 - Power adapter: 100 - 240 V AC / 50 - 60 Hz | 12 V DC (SELV)¹
 - Battery

Standard

Authentication/encryption of base and handset

Wideband audio

Frequency band

- Europe

Related features

Technologies

Environmental conditions

- Operating ambient temperature
 - - 5 °C to 45 °C
 - (23 °F to 113 °F)
- Nonoperating (storage) temperature
 - - 5 °C to 60 °C
 - (23 °F to 140 °F)
- Humidity (non-condensing)

Package contents

- C52-SP unit
- Battery
- Power adapter
- Quick Installation Guide (QIG)

Type approval

Information technology equipment – Safety 60950

CE marking

Compatibility

- 00004356 | C520-WiMi | IP conference phone

Series overview



C52-SP



C520-WiMi



C300

Disclaimer

- Further information
- Snom website
- Snom Service Hub
- [Warranty information](#)
- © Snom Technology GmbH. All rights reserved.
- Snom is a registered trademark of Snom Technology GmbH in the European Union, USA, Japan, China and certain other countries and regions. Unless specified otherwise, all trademarks, in particular product names, are legally protected trademarks of Snom Technology GmbH. Other mentioned trademarks or registered trademarks are the property of their respective manufacturers or owners. Product specifications are subject to change without notice. We do not accept liability for printing errors and mistakes.