

C52-SP



DECT



Long standby time



Superior wideband sound

C52-SP - Wireless expansion module for conference calls

The C520 together with the Snom C52-SP is the perfect solution for those who frequently make conference calls in large conference rooms with numerous participants. Up to three C52-SP can act as hands-free units thanks to the two integrated microphones and the powerful speaker. With its DECT wireless connectivity and battery power supply the Snom C52-SP can be positioned at a distance of up to

50 metres away. With fully automatic voice synchronisation, the microphones allow every participant to clearly understand. The C52-SP handsfree device also has an extremely powerful battery that allows for up to 12 hours talks time. To operate, the C52-SP needs a C520 and is not compatible with other DECT based devices.

Basics

- Product information
 - Wireless conference speakerphone¹ | black | PN 00004357
- Placement: indoor, desktop

Dimensions and weight

- Dimensions (L × W × H, approx.)
 - 305 mm × 305 mm × 61 mm
- Weight (approx.):
 - 1.1 kg

Indicators and keys

- 5 LED indicators
 - Call status indication: 4 multicolour LEDs
 - Charging indication: 1 red LED
- 5 hard keys in total
 - Mute
 - Volume + / -
 - Onhook / offhook

Interfaces and connections

- Power options
 - Power adapter: 100 - 240 V AC, 50 - 60 Hz | 12 V DC (SELV), 1 A, 12 W
 - Battery: 7.2 V, 2,100 mAh, Ni-MH, up to 12 h talk time, up to 70 h standby time, rechargeable

- Wired interfaces
 - Power adapter: coaxial power connector (socket)
- Wireless interfaces
 - DECT | EMEA | 1,880 - 1,900 MHz

Audio devices and features

- Casing speaker
- 2 microphones

Environmental conditions

- Operating ambient temperature
 - -5 °C - +45 °C
- Nonoperating (storage) temperature
 - -5 °C - +60 °C
- Humidity (non-condensing)
 - 5 % - 95 %

Package contents

- Speakerphone C52-SP
- Power adapter
- Battery
- Quick Installation Guide

Snom accessories and compatible devices

- Conference phone (DECT):
 - C520 (PN 00004356)
 - C620 (PN 00004617)

¹ Function only available when paired to the C520

Series overview



C52-SP



C520



C620



C300

Disclaimer

Further information: [Snom C52-SP webpage](#) | [Snom Service Hub](#) | [Type approval](#) | [Warranty information](#)

Snom, the names of Snom products, and Snom logos are trademarks owned by Snom Technology GmbH. All product specifications are subject to change without notification. Snom Technology GmbH reserves the right to revise and change this document at any time, without being obliged to announce such revisions or changes beforehand or after the fact. Although due care has been taken in the compilation and presentation of the information in this document, the data upon which it is based may have changed in the meantime. Snom therefore disclaims all warranties and liability for the accurateness, completeness, and currentness of the information published, except in the case of intention or gross negligence on the part of Snom or where liability arises due to binding legal provisions.