

## D3



SmartDisplay



SmartLabel



Plug & Play



USB port

### High resolution, easy-to-use expansion module

The Snom D3 is the optimal expansion module for the Snom D3xx series desk phones with USB connection. The expansion module allows users who make a lot of calls greater flexibility and productivity by providing 18 programmable LED SmartLabel keys with features such as line hold, speed dial, extension and presence indication. The Snom D3 with its high-

resolution black-and-white display can be easily connected via plug-and-play using a USB cable. Up to three extension modules can be connected in series to expand the range of functions enormously. This provides up to 54 additional function keys.

## Basics

- Product information
  - Expansion module D3 | black | PN 00004327
  - Operating system: Linux
- Placement
  - indoor, desktop
- Daisy-chain up to 3 modules

## Dimensions and weight

- Dimensions (L × W × H, approx.)
  - 140 mm × 170 mm × 80 mm
- Weight (approx.)
  - 300 g

## Display and indicators

- Display
  - TFT liquid crystal display (LCD), graphical, monochrome, backlit
  - Size (diagonal): 4.0" (101 mm)
  - Size (W × H): 92 mm × 42 mm
  - Resolution: 384 × 160 pixel
- Function key status indication: 18 multicolour LEDs

## Function keys

- 18 SmartLabel keys (with multicolour LED)

## Interfaces and connections

- Power options
  - USB powering: 5 V
  - Power adapter:<sup>1</sup> 100 - 240 V AC, 50 - 60 Hz | 5 V DC (SELV), 2 A, 10 W
- Wired interfaces
  - Daisy chaining | USB powering | [USB headsets and other accessories](#)
    - USB 2.0 type A port
    - USB 2.0 type B port
  - Power adapter:<sup>1</sup> coaxial power connector (socket)

## User interfaces and setup

- Plug & Play
- Completely configurable via host phone

## Environmental conditions

- Operating ambient temperature: 0 °C - +35 °C
- Nonoperating (storage) temperature: -10 °C - +45 °C
- Humidity (non-condensing): 5 % - 95 %

## Package contents

- Hardware
  - Expansion module D3
  - USB-A to USB-B cable
  - Footstand
- Documentation
  - [Quick Installation Guide](#)

## Snom accessories and compatible devices

- Power adapter<sup>1</sup>
  - EU & UK: [Snom 10 W PSU \(PN 00004570\)](#)
  - Americas: Snom 10 W PSU (PN 00004571)
- USB dongle
  - WLAN: [A210 \(PN 00004384\)](#)
  - DECT: [A230 \(PN 00004386\)](#)
- Wired headset via USB
  - Monaural: [A330M \(PN 00004597\)](#)
- Binaural: [A330D \(PN 00004598\)](#)
- DECT headset via USB (DECT)
  - [A150 \(PN 00004388\)](#)
- IP desk phone (USB)
  - [D315 \(PN 00004258\)](#)
  - [D335 \(PN 00004390\)](#)
  - [D385 \(PN 00004340\)](#)
  - [D385N \(PN 00004600\)](#)



[10 W PSU](#)



[A210](#)



[A230](#)



[A330M](#)



[A330D](#)



[A150](#)



[D315](#)



[D335](#)



[D385 /  
D385N](#)

<sup>1</sup> When two or three modules are used with one phone, a separate power supply needs to be connected to the second module.

## Series overview



[D315](#)



[D335](#)



[D385 / D385N](#)



[D3](#)

## Disclaimer

Further information: [Snom D3 webpage](#) | [Snom Service Hub](#) | [Type approval](#) | [Warranty information](#) | [Company locations](#)

Snom, the names of Snom products, and Snom logos are trademarks owned by Snom Technology GmbH. All product specifications are subject to change without notification. Snom Technology GmbH reserves the right to revise and change this document at any time, without being obliged to announce such revisions or changes beforehand or after the fact. Although due care has been taken in the compilation and presentation of the information in this document, the data upon which it is based may have changed in the meantime. Snom therefore disclaims all warranties and liability for the accurateness, completeness, and currentness of the information published, except in the case of intention or gross negligence on the part of Snom or where liability arises due to binding legal provisions.