

D7



SmartDisplay



SmartLabel



Plug & Play



USB port

The extension module for the Snom D7xx Series

The Snom D7 is the perfect extension module for the Snom D7xx series desk phones with USB connection. The expansion module allows users who make a lot of calls greater flexibility and productivity by providing 18 SmartLabel LED keys with features such as line hold, speed dial, extension and presence

indication. The Snom D7 with its high-resolution black-and-white display can be easily connected via plug-and-play using a USB cable. Up to three extension modules can be connected in series to expand the range of functions enormously. This provides up to 54 additional function keys.

Product variants



D7 | black | PN 00004011



D7 | white | PN 00004382

Basics

- Product information
 - Expansion module
 - Operating system: Linux
- Placement
 - indoor, desktop
- Daisy-chain up to 3 modules

Dimensions and weight

- Dimensions (L x W x D, approx.) without footstand
 - 158 mm x 140 mm x 40 mm
- Dimensions (H x W x D, approx.) with footstand
 - 158 mm x 140 mm x 220 mm (high angle 46°)
 - 158 mm x 140 mm x 200 mm (low angle 28°)
- Weight (approx.)
 - 400 g without footstand
 - 520 g with footstand

Display and indicators

- Display
 - TFT liquid crystal display (LCD), graphic, monochrome, backlit
 - Size (diagonal): 4.0" (101 mm)
 - Size (W x H): 92 mm x 42 mm
 - Resolution: 384 x 160 pixel
- Function key status indication: 18 multicolour LEDs

Function keys

- 18 SmartLabel keys (with multicolour LED)

Interfaces and connections

- D7 power options
 - USB powering: 5 V
 - Power adapter:¹ 100 - 240 V AC, 50 - 60 Hz | 5 V DC (SELV), 2 A, 10 W
- Wired interfaces
 - Daisy chaining | USB powering | [USB headsets and other accessories](#)
 - USB 2.0 type A port
 - attached USB 2.0 cable with type A plug
 - Power adapter:¹ coaxial power connector (socket)

User interfaces and setup

- Plug & Play
- Completely configurable via host phone

Environmental conditions

- Operating ambient temperature: 0 °C - 35 °C
- Nonoperating (storage) temperature: -10 °C - 45 °C
- Humidity (non-condensing): 5 % - 95 %

Package contents

- Hardware
 - Expansion module D7
 - Footstand
- Documentation
 - Quick Installation Guide (QIG)

Snom accessories and compatible devices

- Power adapter¹
 - EU & UK: [Snom 10 W PSU \(PN 00004570\)](#)
 - Americas: [Snom 10 W PSU \(PN 00004571\)](#)
- USB dongle
 - WLAN: [A210 \(PN 00004384\)](#)
 - DECT: [A230 \(PN 00004386\)](#)
- Wired headset via USB
 - Monaural: [A330M \(PN 00004597\)](#)
 - Binaural: [A330D \(PN 00004598\)](#)
- DECT headset via USB (DECT)
 - [A150 \(PN 00004388\)](#)
- IP desk phone (USB)
 - black [D715 \(PN 00004039\)](#)
 - white [D715 \(PN 00004381\)](#)
 - black [D717 \(PN 00004397\)](#)
 - white [D717 \(PN 00004398\)](#)
 - black [D735 \(PN 00004389\)](#)
 - white [D735 \(PN 00004396\)](#)
 - black [D785 / D785N \(PN 00004349\)](#)
 - white [D785 / D785N \(PN 00004392\)](#)



¹ When two or three modules are used with one phone, a separate power supply needs to be connected to the second module.

Series overview



Disclaimer

Further information: [Snom website](#) | [Snom Service Hub](#) | [Type approval](#) | [Warranty information](#)

Snom is a registered trademark of Snom Technology GmbH in the European Union, USA, Japan, China and certain other countries and regions. Unless specified otherwise, all trademarks, in particular product names, are legally protected trademarks of Snom Technology GmbH. Other mentioned trademarks or registered trademarks are the property of their respective manufacturers or owners. Product specifications are subject to change without notice. We do not accept liability for printing errors and mistakes.