

HD30LA



Hotel/hospitality features



Customisable faceplate



Anti-bacterial housing

Elegant, corded analog lobby telephone

The HD30LA lobby telephone ensures flawless usability in the hotel/hospitality sector. The connection to a predetermined destination, e.g. the main desk, is made immediately after the handset is lifted, so it is no longer possible to dial the wrong number. An analog PABX

system is required for use. The lobby telephone can be fully customised thanks to the faceplate on the telephone base.

Basics and equipment

- Product information
 - Analogue lobby phone HD30LA + Corded handset | gunmetal black | PN 00007032
- Equipment
 - Anti-bacterial housing
 - Sturdy, solid construction
 - [Fully customisable faceplate for hotel branding and dialing instructions¹](#)
- Placement: Indoor, wall mounting

Dimensions and weight

- Dimensions (H × W × D, approx.)
 - Corded handset (on the base cradle, wall mounted): 216 mm × 53 mm × 56 mm
- Weight (approx.)
 - Corded handset (on the base cradle): 400 g

Indicators and keys

- Corded handset: 2 LED indicators
 - Mute status indication: 1 red LED
 - Speakerphone mode: 1 red LED
- Corded handset: 3 dedicated audio keys
 - Mute (with red LED)
 - Speakerphone mode (with red LED)
 - Volume + / -

Audio devices and features

- Corded handset

- Microphone
- Handset earpiece
- External speaker
- Hearing aid compatible (HAC)

Interfaces and connections

- Wired interfaces
 - Telephone base
 - Network connectivity (PABX): RJ11-6P4C socket
 - Handset cord: custom socket
 - Corded handset
 - Handset cord: custom socket

Environmental conditions

- Operating ambient temperature:
 - 5 °C - +45 °C
- Humidity (non-condensing)
 - 5 % - 95 %

Package contents

- Hardware
 - Telephone base
 - Handset
 - Handset cord: 330 mm
 - Footstand
 - Wall mount kit
- Documentation
 - [Quick Installation Guide](#)

Series overview



HD3



HD30L /
HD30LA



HD300 /
HD300A



HD331 /
HD331A



HD340 /
HD340A



HD341 /
HD341A



HD350W /
HD350A



HD351W /
HD351A

¹ Available separately

Disclaimer

[Further information: Snom HD30LA webpage](#) | [Snom Service Hub HD30LA](#) | [Quick Installation Guide HD30LA](#) | [User manual HD30LA](#) | [Type approval](#) | [Warranty information](#) | [Company locations](#)

Snom, the names of Snom products, and Snom logos are trademarks owned by Snom Technology GmbH. All product specifications are subject to change without notification. Snom Technology GmbH reserves the right to revise and change this document at any time, without being obliged to announce such revisions or changes beforehand or after the fact. Although due care has been taken in the compilation and presentation of the information in this document, the data upon which it is based may have changed in the meantime. Snom therefore disclaims all warranties and liability for the accurateness, completeness, and currentness of the information published, except in the case of intention or gross negligence on the part of Snom or where liability arises due to binding legal provisions.